



Innovative Solutions


For Architects, Business Partners
and End Users

System Collection

bkscambalkon.com



ANY COLOR is possible with RAL
codes across all our systems!



Page 10 – **New**

Silenta Sliding System

Page 18 – **New**

Mono-Clear Guillotine System

Page 29

BKS Panel

2 Folding Systems**6** ICS Insulated Folding Systems**8** Luxury Sliding System**10** Silenta Sliding System **NEW****12** Sliding Low-Threshold System**13** Sliding With Threshold System**14** IoT Guillotine System**16** Classic Guillotine System**18** Mono-Clear Guillotine System **NEW****20** Movable Glass Systems**22** Wind Breaker System**24** Bioclimatic Pergola**26** Veranda – Glass Roof**28** BKS Smart**29** BKS Panel**30** Dealership Advantages**32** BKS Holding

Established in 2003 in OSTİM, Ankara, BKS Glazing Systems has been a pioneer of innovation in the glazing system industry. With over 350 plastic injection molds and nearly 100 extrusion dies, BKS offers more than 750 product types and delivers flawless service globally with over 3,000 semi-finished components. As the leading manufacturer behind many of today's cutting-edge glazing solutions, the brand shapes the sector with a strong R&D infrastructure and continuously upgraded production technologies. Continuously building on more than 20 years of experience, BKS aims to provide seamless service to its customers and considers it a mission to advance not only its own brand but the entire industry. From product design to manufacturing, from dealer management to after-sales support, it focuses on raising quality at every step and developing sustainable solutions. With a dealer network across all 81 provinces and an export reach to 86 countries, BKS has adopted as a core principle delivering certified, guaranteed products that meet world standards. Through continuously advancing R&D projects and online design/production support systems, BKS offers not just products but a holistic solution approach, bringing Turkish engineering to the global showcase.

FOLDING SYSTEM



Sound
Insulation





Water
Tightness



Wind
Resistance

BKS Folding Systems add elegance and functionality to modern balconies, terraces and winter gardens. With Threshold, Low-Threshold, Floor-Mounted and With Glass Railing options, they adapt to any floor type. They support 6–8–10 mm glass thicknesses.

Guided (automatic or manual) or non-guided models, with magnetic, aluminum or transparent seal options, provide high sealing performance. With the new metal handle design and robust aluminum wheels, they offer a durable and aesthetic user experience.



Straight, Corner, Oval...
Perfect Fit for Every Balcony

Folding Systems designed for straight, corner and oval balcony types, tailored to every angle.



Classic or Drip-Edge
Frames



Floor-Mounted Option
(Recessed or Mounted on
Surface)



Low-Threshold Option
(Ideal for Vehicle Access)



With Glass Railing
Option



**MODULAR STOCK
ADVANTAGE!**

Thanks to the shared use of core
accessories and profile components,
different folding systems can be
produced with minimal stock
requirements.



6-8-10 MM Glass Options

Tempered 6, 8 and 10 mm glass alternatives provide high impact resistance and long-lasting safety.



Guided or Non-Guided Options

Automatic or manual alternatives deliver solutions suitable for any space and need.



Magnetic Seal



Aluminum Seal



Transparent Seal



Non-Guided Wheel



Aluminum Wheel




Adjustable Aluminum Wheel

The Adjustment Profile is used when there is a height difference or leveling issue at the installation area. Thanks to the adjustment profile, the panel heights can be set according to the surface, gaps between the profile and the wall are closed, panels are aligned properly, and the system gains a cleaner, more aesthetic appearance.




Glass is generally bonded to the profile with polyurethane; the pinned base profile is an alternative for customers who prefer not to use polyurethane, allowing the glass to be drilled and mechanically fixed to the profile.




The child-safety lock prevents accidental openings and provides full safety. Designed especially for families with children, it creates a secure and peaceful environment.



**ESPAGNOLETTE
LOCK**



**STYLISH & NEW:
ONETURN METAL HANDLE**



The finned brush seal maximizes water and dust insulation.



ICS FOLDING SYSTEM

The ICS Insulated Folding System combines high insulation with aesthetics to create balcony areas usable in all four seasons. Thanks to its 30 mm (4+22+4) insulated glass unit compatibility, it blocks outdoor conditions and delivers comfort with energy efficiency.



Thermal
Insulation



Sound
Insulation



Water
Tightness



Wind
Resistance




30 MM Insulated
Glass Unit




With Threshold, Low Threshold, Floor-Mounted and With Glass Railing options, it integrates into any project type; and with multi-angle, 90° and 135° profile alternatives, it eliminates architectural limitations.

Magnet and brush seals between the glass panels, together with the finned brush seal, provide maximum wind and water insulation. Strong aluminum wheels ensure long service life, while the special single or double-sided espagnolette lock system elevates security to the highest level. ICS is a next-generation insulated folding system engineered with both performance and elegance.

**SUITABLE FOR
EVERY BALCONY,
EVERY ANGLE!**



With Threshold
OptionLow Threshold
OptionFloor-Mounted Option
(Recessed or Mounted on Surface)With Glass Railing
Option**MODULAR STOCK
ADVANTAGE!**

Thanks to the shared use of core accessories and profile components, different folding systems can be produced with minimal stock requirements.

Non-Guided
WheelAluminum
WheelAdjustable
Aluminum
Wheel**Special Espagnolette Lock**
(Single Lock or Double-Sided Lock Set)

Non-Guided

Automatic
GuideManual
Guide**Guide
Options****Magnetic Insulation Power**

The combination of magnets and brush seals between the glass panels minimizes wind and water penetration, delivering superior thermal and acoustic insulation.



Luxury Sliding System is an elegant and durable sliding system designed to meet the needs of modern architecture.

LUXURY SLIDING SYSTEM

While adding spaciousness and aesthetics to interiors with wide glass surfaces, it offers year-round comfort with superior thermal, water, wind and sound insulation. The stainless, adjustable wheel system ensures quiet and smooth movement even on wide panels; and the bottom frame profiles with hidden details, sealing channels and magnetic seals maximize water and wind insulation.

Self-draining frames, wind-resistant interlocking covers and an integrated flyscreen system bring comfort and safety together. With 3-rail, 4-rail and 5-rail frame options, trend-ready color alternatives and a minimalist design, the Luxury Sliding System doesn't just protect your balcony; it gives it a sophisticated identity. BKS's patented Walking Motor technology enables app-based control of sliding systems.



Smart Technology, Easy Control

With BKS-exclusive, patented Walking Motor technology, your sliding systems become smart. Developed for the first time worldwide, this system lets you control your glass panels from your phone or tablet with a single touch.






Magnetic Seal Excellence

Magnetic seal provide water, wind and thermal insulation when the system is closed.



Two Options, Ultra Security

On-off flush pull handle and keyed lock systems provide maximum security.



Keep Insects Out, Keep Comfort In

Enjoy enhanced comfort thanks to the profile with an integrated flyscreen.




MODULAR STOCK ADVANTAGE!

It can be used with both "with threshold" and "low-threshold" frame options using a single accessory kit; it is compatible with 6/8/10/20 mm glass thicknesses.



Adjustable & Stainless Wheels!

High-strength, adjustable wheels ensure quiet and smooth movement even on wide panels.



Unlimited Freedom

The Central Opening Profile offers enhanced design flexibility for expansive configurations.



Smart Water Drainage System

With-Threshold and Low Threshold for bottom frame options, it offers solutions for every space. The self-draining with-threshold frame provides water insulation.




Insulation is in the Details!

Sealing channels in the bottom frame profiles increase water and wind insulation and enhance comfort.



3/4/5-Rail & Threshold Options

Designed as a fully adaptable system for all project requirements, this series offers triple, quintuple or quadruple inlay rail profiles. With both high and low threshold designs available, these systems allow you to scale the number of panels to meet the specific requirements of any project.



With Threshold or Low Threshold—your choice.



SILENTA SLIDING SYSTEM

With its brand-new design, the Silenta Sliding System brings both elegance and comfort to modern living spaces. Available in with-threshold or low-threshold options, with 3-rail, 4-rail and 5-rail frame alternatives and 8–10 mm glass compatibility, it adapts to any space. The U-shaped side frame profile enables smooth panel transition. Interlocking intermediate covers and precision seals provide a quiet, seamless glide.

The installation and manufacturing process is also fully innovative: all system components are supplied in a single box, enabling fast and easy setup. Thanks to its stainless materials and compatibility with aluminum and transparent seals, it offers long service life. With optimized drainage details and a wheel adjustment mechanism, Silenta stands out as a next-generation sliding system that combines durability and comfort.




Compatible with
WALKING MOTOR.

GLASS OPTIONS



10 MM

8 MM




Transparent Seal



Aluminium Seal



Seal-Free Option



3/4/5-Rail & Threshold Options

Designed as a fully adaptable system for all project requirements, this series offers triple, quintuple or quadruple inlay rail profiles. With both high and low threshold designs available, these systems allow you to scale the number of panels to meet the specific requirements of any project.



MODULAR STOCK ADVANTAGE!

It can be used with both "with threshold" and "low-threshold" frame options using a single accessory kit; it is compatible with 8/10 mm glass thicknesses.



Metal Lock With Key



Economical Locking Option



Plastic Handle



Plastic Lock



Metal Wheel



Top Frame Seal



Base Seal

Extra Brush Seal

Maximum sealing and maximum comfort with extra brush seals on the top and bottom base profiles.

SLIDING SYSTEM WITH THRESHOLD

The BKS Sliding System with Threshold features a durable, comfort-focused, patented design. Compatible with tempered 8 mm glass, it ensures quiet, smooth movement thanks to strong top wheels and height-adjustable bottom wheels.



Sound
Insulation



Water
Tightness



Wind
Resistance

The sliding system handle and robust profiles provide long service life, while the drainage channel offers extra protection against external factors.

The system highlights security with a 5-year warranty and various lock options. Suitable for balconies, terraces, verandas, cafes or offices.



With
Threshold



5-Rail Frame Option

The system offers flexible use with a 5-rail frame option.



Glass Seal
Profile



F Transparent
Seal




8 MM Glass

SLIDING SYSTEM LOW THRESHOLD

3-rail and 5-rail frame options allow unlimited panel use on wide areas. 8-10 mm glass offers high strength and clarity, while anti-derail top wheels enable quiet, smooth movement. The Low Threshold Bottom Frame design allows barrier-free passage for wheelchairs, strollers and robot vacuums.

Special locks, automatic locking and ergonomic handles enhance security. Stainless and polyamide accessories, magnetic seals and sealing channels strengthen water, wind and thermal insulation. With patented Walking Motor integration, the system can be easily controlled by phone for comfortable use.



Plastic Lock Mechanism



Bottom Lock



Handle Options



Glass Seal Profile




F Transparent Seal



Secure-Fit Top Frame Wheel

Ensures quiet, smooth operation and long service life; maintains performance even under heavy use.



8-10 MM Glass Options



Adjustable Bottom Wheels

With its bottom wheel adjustable up to 12 mm, the system adapts to uneven floor conditions, ensuring smooth, quiet, and effortless sliding performance.




Whether 3-Rail or 5-Rail

The system offers flexible use with 3-rail or 5-rail frame options based on demand.



IOT GUILLOTINE



Quiet Operation



Rain Sensor



Thermal Insulation



Water Tightness



Wind Resistance



Sound Insulation



Bring the future to your living space!

IOT EASY-CLEAN GUILLOTINE SYSTEM

The IoT Easy-Clean Guillotine System brings comfort, safety and aesthetics to living spaces with a modern design approach and smart technology. With its easy-to-clean glass surface and smart motor controllable via remote or the BKS Smart App, it delivers a premium user experience. By combining functionality with aesthetics, it adds value to spaces and provides a reliable, stylish solution for both commercial and private areas.



Manufactured from durable and ergonomic materials, the system stands out with many advanced details: from its special locking mechanism to the handrail profile that prevents finger pinch, from drainage features to quiet motor technology. A rain sensor can also be added to the IoT Easy-Clean Guillotine System. With multiple glass thickness options and a special profile structure, it offers solutions for every need. With energy savings, long service life and easy installation advantages, it is a system you can confidently choose not only for today but for many years.




The Hidden Hero of Insulation!

Special seal details prevent wind, water and dust ingress.



A Practical Cleaning Solution

Thanks to the panel structure that opens from the lower panel, you can easily access both sides of the glass and clean effortlessly.



Easy Installation, Practical Use

With user-friendly mounting accessories, it can be installed quickly, providing time and cost advantages with minimal effort.



Special Locking Mechanism

The lock system that engages automatically when the panels close keeps security at the highest level, providing full protection without user intervention and delivering a safe, practical experience.



BKS Smart Tubular Motor

The BKS-guaranteed Smart Motor offers long service life with high performance and durability. It operates flawlessly even in harsh weather conditions, increasing system reliability. It can be freely installed left or right during assembly, setting it apart from similar products in the industry.



Motor Connection Bracket

The specially designed motor connection bracket transfers motor power efficiently to the mechanism for stable, quiet operation. Its robust structure reduces vibration and provides long-lasting, comfortable use.






CLASSIC GUILLOTINE SYSTEM

The Classic Guillotine system is a stylish and functional solution designed for modern living spaces. The vertically opening/closing glass is easily controlled via remote or the BKS Smart App. With double-glazed (4+12+4) or single glass (8 mm) options, it offers high insulation and durability. Wide glass surfaces create a bright, spacious environment, while smart features such as the anti-finger-pinch mechanism provide extra safety.

Its quiet-running mechanism ensures long service life and practicality. Easy installation, oval top cover design, color options and aesthetic details add both elegance and comfort to your space. It perfectly matches modern architecture in cafes, restaurants, verandas, winter gardens and offices.




**2-Panel or 3-Panel**

Offering flexible solutions with 2-panel or 3-panel configurations, it increases natural light and enables a brighter, more transparent and spacious look.

**Quiet Operation****Rain Sensor****Thermal Insulation****Water Tightness****Wind Resistance****Sound Insulation****BKS Smart
Smart Optional System**

With the **BKS Smart App**, you can control your systems from anywhere in the world with a single button.

Thanks to smart automation technology, it meets the technological requirements of modern living by prioritizing ease of use and comfort.

**8-20 MM Glass Options**

Offers flexible solutions with 8 mm and 20 mm glass thicknesses according to your project needs.

**Chain or Belt Options**

Available with either a chain or belt drive, the system can be configured to suit user preferences while delivering reliable, durable, and high-performance operation.

MONO-CLEAR GUILLOTINE SYSTEM

The next-generation Mono-Clear Guillotine System offers the perfect balance of aesthetics, functionality and ease of use.



Quiet
Operation



Rain
Sensor



Thermal
Insulation



Water
Tightness




Wind
Resistance



Sound
Insulation

Thanks to its openable panel structure, cleaning is effortless. The moving safety handrail profile that prevents finger pinch, hidden hinge system and drip-edge bottom frame structure increase both safety and durability. The 16 mm glass spacing and the silicone-seal combination that provides high insulation maximize indoor and outdoor comfort.

Mono-Clear also makes a difference in installation and manufacturing. Supplied with accessories in a single box, it enables effortless and practical setup. With chain or belt mechanism options, stainless accessories, drainage system and removable profile cover, it offers a long-lasting, easy-to-maintain and smart solution. With BKS Smart compatibility, it takes a step further into modern control.





Espagnolette Lock

Engages when closed and keeps your space secure without extra locks or intervention, providing maximum protection against external factors.



24 MM Glass

The 24 mm thick glass structure with enhanced thermal and impact resistance provides superior protection against outdoor conditions. While adding spaciousness with its modern look, it keeps safety at the highest level.



One-Piece Side Profile


Its integrated structure adds extra strength to the construction and increases overall system durability. Its one-piece form enables easy installation.



Openable Panel, Easy Cleaning

The easy-opening mechanism makes cleaning quick and effortless. The wide opening angle provides comfortable access to both inner and outer surfaces.


MOVABLE GLASS SYSTEM



Movable Glass with
Parking System



Accordion
Movable Glass System



Butterfly
Movable Glass System

BKS Movable Glass Systems combine aesthetics, durability and functionality, offering transparent, modern solutions for every space from retail stores to cafe terraces with Accordion, with Parking and Butterfly models.



With different opening types and a threshold-free transition option, it provides an elegant passage between indoor and outdoor areas. Easy installation, high load capacity, quiet bearing movement, tempered glass compatibility and long-lasting stainless components are standard in every system. Its modular structure allows project-based customization.

Accordion: Reinforced with wheels and joint hinges for long-lasting, durable use.

With Parking: Panels gather on a wide basin profile and move in a balanced, quiet way with a special wheel system.


Butterfly: With its minimal profile and wide opening advantage, it provides maximum openness in spaces.



Aluminum Seal



Magnetic Seal



Transparent Seal

Inter-panel insulation is customized with magnetic, aluminum, or transparent seal choices to suit your design.

**Wide Opening Freedom**

A wide opening creates a single-piece transparency feel in.

**Threshold-Free Transition**

Creates an obstacle-free area without any floor protrusion.

**Secure Installation**

The spring-and-pin system prevents panels from shifting, providing maximum safety.

**Hidden Strength**

In all systems, locking is done at the floor and concealed within the cover, preserving aesthetic integrity.





5-YEAR WARRANTY
ON ALL PRODUCTS



Calculate instantly
at bkspanel.com

WIND BREAKER SYSTEM

BKS Wind Breaker System combines comfort and aesthetics in open areas, adapting easily to any space with portable or fixed model options. It can be used either with an integrated planter or fixed to the floor.



**AUTOMATIC
LOCKING**



**INNOVATIVE
MECHANISM**





The Wind Breaker System can also be used without floor fixing!

Soft-close pistons combined with stainless and polyamide accessories provide a long-lasting, quiet user experience. With its innovative design, the BKS Wind Breaker blocks the wind while preserving your view. It is ideal for cafes, restaurants, terraces and hotel areas. The integrated planter detail adds a natural touch while increasing functionality. With 6 mm tempered glass, it offers an elegant appearance.



Stainless and Polyamide Accessories

These special accessories provide extra resistance against impacts and external factors, increasing system performance and safety. With its burst-resistant structure, the BKS Wind Breaker offers years of trouble-free use without compromising its aesthetic look.



IOT SMART ROOF (BIOCLIMATIC PERGOLA) SYSTEM



Sun direction and weather conditions – under all these variables, it's possible to turn your outdoor space into a comfortable living area all year round. The BKS IoT Smart Roof was designed with this in mind: with its powerful, quiet motor system, sealed cast panel covers and the BKS Smart App, it gives you the freedom to manage your space from where you sit.

This system is not just a roof; while blurring the boundary between outdoor and indoor spaces, it offers high insulation, aesthetic integrity and long-term use. Ease of manufacturing and installation, stainless details, a three-axis wheel system and balanced drainage come together to create a solution that meets expectations from.

With the Wi-Fi BKS Smart control card and the BKS Smart App, manage your pergola whether you are next to it or on the other side of the world; create scenarios, set timers and adapt lighting to your mood. The mobile app works integrated with LED lighting and a rain sensor, bringing a true “smart roof” experience to your space.

Change the atmosphere of your area with a single touch using Closed, Ventilation or Fully Open modes; panels that lock at each level distribute wind load, while elastomer seals prevent rain ingress, providing uninterrupted comfort in all four seasons.





Customize Your Lighting!

Adjust the ambiance from warm white to daylight with LED channels and dimmer drivers; with Wi-Fi connectivity, it activates automatically, allowing you to create colorful scenarios with a single touch.



Quiet Comfort with BKS Engineering!

Vibration pads and corner blocks at motor connection points absorb operating noise; whisper-level silence proven in lab tests at <45 dB preserves comfort in any environment.



Installer-Friendly Setup!



Straight-cut profiles and smart corner brackets minimize measurement error; modular packages provide up to 30% faster on-site installation. QR-coded video guides eliminate the "difficult installation" perception even on first experience.



Silky Glide, Flawless Comfort!

The bearing-based three-axis wheel system distributes the load evenly, carrying panels with a silky glide. With PTFE coating, the system maintains smooth movement even years later.



Project-Ready Flexibility

With four-column, two-column or without column configurations, it fits any project, whether a terrace, winter garden or poolside. Modules can be added or removed later, so your pergola grows with your business without creating unnecessary cost.



5-YEAR WARRANTY
ON ALL PRODUCTS



Calculate instantly
at bkspanel.com



VERANDA - GLASS ROOF

Create an inviting area open to the outdoors in every season. The BKS Fixed Glass Roof/Veranda System offers an ideal roof solution for winter gardens, terraces, cafes, poolside areas or modern offices with 0-30 mm glass options, a transparent roof and sky-inspired aesthetic solutions.

The special drip-edge design provides 100% water tightness, and the adjustable roof profile can be used at angles from 0 to 22 degrees. Every detail is designed for a flawless user experience. Special profiles, stainless gutter strainers and column profiles with caps are prepared so your installation team can work quickly and smoothly.

While changing the atmosphere with integrated LED light strips, the ridged grille cover and gutter-grillage system provide high thermal and water insulation. Profile color and glass tints (clear, black, smoke, blue and other special colors) can be selected on demand, and it is fully compatible with BKS systems.




The same carrier profile works seamlessly with glass, solid polycarbonate, polycarbonate panels and sandwich panels. With different materials, you can balance insulation, light transmission and budget, and also develop project-specific solutions.



Glass



Polycarbonate



Sandwich Panel

INTEGRATION!

Thanks to ready connection surfaces, the veranda roof system seamlessly combines enclosure and ventilation solutions under one brand with BKS Folding, Sliding and Guillotine systems.

Supporting tempered glass between 0-30 mm with different color and coating options, the system perfectly adapts to every project, climate and aesthetic demand. Thanks to design flexibility, both single-glazed and IGU solutions can be applied to veranda roofs, preserving the cost-performance balance.

0-30 MM



Double Column



Triple Column



Four Column



L-Shaped



One-Piece



Two-Piece



The adjustable angle profile directs water correctly and provides an aesthetic, solid and watertight finish without the need for an additional chassis.



Integrated LED channels provide uniform lighting without cable clutter and let you change the atmosphere with white or RGB strips at the touch of a button.



Stainless gutter strainer and leaf guard prevent clogging and facilitate drainage.



EPDM seals and extra strips provide full sealing against rain and wind, delivering maximum insulation and energy efficiency in your winter garden.



Thanks to the column profile cover and concealed pipe with cap, drainage is easy to clean and water is discharged quietly, preserving comfort under the veranda.






The gutter design maintains structural integrity and water insulation, providing extra comfort.

BKS SMART SOLUTIONS

BKS Smart stands out with smart automation systems that represent the digital transformation of outdoor living spaces. With Wi-Fi-connected control boards, the BKS Smart App on phones/tablets and ergonomic remotes, it is now possible to manage lighting, movement and shading modes remotely in areas such as pergolas, roofs or verandas. Creating scenarios, setting timers and building automation routines can be done with a single touch via the user-friendly mobile app.

Combined with components such as LED lighting, rain sensors and motorized motion, the system takes the "smart roof" and "smart system" concept one step further. This integrated solution not only increases comfort but also meets modern expectations for energy efficiency and ease of use.



Walking Motor

The high-torque motor moves sliding panels easily on any surface. With Wi-Fi integration, you can control the system from anywhere with a single touch.



Tubular Motor

Ensure seamless control in your guillotine and sliding systems with an electronic limit-setting motor with a built-in receiver. Use with confidence with a 2-year one-to-one replacement warranty.



Wi-Fi Tubular Motor

With smart limit setting and anti-pinch protection sensor, it provides safe, precise control in guillotine, pergola and awning systems. Wi-Fi connectivity enables easy remote management, while a 2-year one-to-one replacement warranty ensures long-lasting, trouble-free use.



Smart Remote

With wide coverage and strong signal performance, it gives you full control. Thanks to remote access, you can effortlessly open and close your guillotine glass, awning or pergola systems from anywhere.



Integration Card

Control your guillotine, pergola, awning, shutters and roller shutters from anywhere. Take comfort and control into your hands and make your spaces smart!



The BKS Smart Rain Sensor

The BKS Smart rain sensor detects rainfall and automatically closes the guillotine and pergola. Its integrated structure with smartphone, tablet and remote control increases ease of use.





BKS PANEL

The Digital Heart of Glazing System Production





BKS Panel is a comprehensive AI-powered digital platform that makes it possible to manage the entire process from glazing system production to the sales stage from a single center.



FROM PRODUCTION TO SALES;

Developed for domestic and international dealers, the system brings together all critical functions such as order tracking, smart drawing program, online ordering, stock tracking, online catalog and multi-language support under one roof. This integrated structure accelerates production flow, reduces errors and significantly increases operational efficiency.



EVERY STEP ON ONE PLATFORM!

With modules such as online payment, customer account tracking, and production/quotation process management, BKS Panel turns daily operations into a more organized, traceable and professional structure. Dealers having an always-accessible control mechanism both improves service quality and contributes to the brand building a sustainable global growth model.



BECOME A BKS DEALER

Get

10 Steps

Ahead with Advantages!

BKS is not only a product supplier but also an integrated system provider that aims to grow its business partners. With strong stock capacity, fast delivery power and modern production infrastructure, we increase our dealers' competitiveness in the market while offering a sustainable and reliable working model at every step. The technical support, showroom support and corporate branding advantages we provide strengthen our partners' visibility in the field.



1 Fast Delivery



2 Project Support



3 Promotion Packages




4 Technical Support



5 Dealer Panel

The BKS ecosystem is designed to speed up dealers' workflows and reduce operational load. Our digital infrastructure, which provides access to order, quotation, stock, project and training modules through a single panel, saves time and simplifies decision-making. With an online store, e-sales systems and customer referral services, business volume grows steadily, while professional corporate promotional materials and campaigns also support dealer brand awareness.



Becoming a BKS dealer is not only about selling products; it means being part of a strong, professional and globally recognized structure. With systems proven in international markets, reliable after-sales services, regular trainings and advertising investments, we aim to carry each partner to long-term success. Every dealer who joins the BKS family feels the power of the brand and becomes part of a culture of growing together.

Join the BKS family and move not just a few steps but several levels ahead of your competitors with the strongest digital infrastructure in the industry, the fastest supply network and the most advanced production technology. Scan the QR code, discover our advantage-packed business model and start a new growth era for your brand today.

BKS HOLDING



With its innovative perspective and strong cross-sector integration capability, BKS Holding provides a structure that inspires confidence nationally and internationally. Brands within the group, including BKS Glazing Systems, Globalcon and BKS Smart, operate across a wide range from outdoor living solutions to smart automation technologies. While each brand delivers high standards in its field, BKS Holding's corporate strength and technological vision enable sustainable growth in the market.

The group's agricultural investment, Songur Tarim, reinforces its versatile structure and future-oriented strategic stance. Bringing production, R&D and the global sales network together under one roof offers customers "full confidence", "consistent service" and "long-term solution partnership". Each brand developed within BKS Holding makes partners feel the privilege of working with a strong corporate structure through its quality mindset, innovation culture and customer-centric approach.



Call Center

+90 (850) 259 02 57

Address

Ivedik OSB, Melih Gokcek Avenue, No: 123,
Yenimahalle/Ankara/TURKIYE



**IN 86 COUNTRIES
WORLDWIDE**

